

One sided MF PE BROWN coated recy cardboard_SPS

Eigenaar: Packaging Donckers

Datum: 14-04-2021

Code: EP005.01 Versie: 003

Autorisator: Steven Van Humbeeck

DECLARATION OF COMPLIANCE FOR MATERIALS AND ARTICLES INTEDED TO COME IN CONTACT WITH FOOD

MANUFACTURER

The manufacturer or his authorized representative established in the Community:

Name of the manufacturer: Packaging Donckers Complete address: Kelderveld 8, 2500 Lier, Belgium

Contact: Mr. Van Humbeeck

Email: info@packaging-donckers.com

Tel: +32(0)15.24.28.80 Fax: +32(0)15.24.28.81

PRODUCT DESCRIPTION

Product name: ONE SIDED METAL FREE PE COATED RECYCLED CARDBOARD

Type of board: Recycled cardboard Grammage cardboard: 1.5 mm

COMPLIANCE STATEMENT

Product stated above complies with:

- Directive 2023/2006 / EC. Concerning Good Manufacturing Practices for materials intended to come into contact with food
- Directive 1935/2004 / EC. Relevant materials intended to come into contact with food
- Directive 10/2011 / EC. Concerning plastic materials intended to come into contact with food and its amendments
- Directive 94/62/EC on Packaging and Packaging Waste
- KB 11th of May 2005: Concerning materials and articles intended to come into contact with foodstuffs

In the following conditions of use:

Type of food intended to come into contact with material / article:

The PE laminated solid board may come in direct contact with all types of foodstuffs with the exception of acidic foodstuffs. This material is not intended to come into contact with food for infants.

Storage time and temperature of the material / article:

The packaging materials preferred storage conditions are at room temperature and protected from direct sunlight exposure. Storage temperature range: between minus 25°C and 40°C. Outside these ranges, we cannot guarantee the performance of the packaging. Exposed to direct sunlight will influence the performance, although not this has not been investigated to what degree. Maximum storage age before using is up to two years, under the mentioned preconditions.

Possible treatment of the material / object:

Any long term storage at room temperature or below, including heating up to 70 °C for up to 2 hours, or heating up to 100 °C for up to 15 minutes.





One sided MF PE BROWN coated recy cardboard_SPS

Datum: 14-04-2021

Eigenaar: Packaging Donckers

Code: EP005.01 Versie: .003

Autorisator: Steven Van Humbeeck

Surface area / volume ratio

The volume/ contact area was chosen 100 ml and 1.9 dm2.

MIGRATION

SIMULANTS AND TEST CONDITIONS

USED SIMULANT*	CONTACT DURATION	CONTACT TEMPERATURE
Simulant A: 10% ethanol	10 days	40°C
Simulant D2: Isooctane*	10 days	40°C
Simulant D2: Ethanol 95%*	2 days	20 °C

^{*}In accordance with European regulation 10/2011 / EC and amendments simulant D2 (vegetable oil) is the assigned simulant for fatty foods. Anyway, due to the technical problems, the test method for determining the global migration in olive oil is not suitable for cardboard packaging.

MIGRATION LIMITS

PARAMETER	LIMIT	SIMULANT	AVERAGE MEASURED VALUE
Global migration	< 10 mg/dm ²	Simulant A: 10% ethanol	<0,5 mg/dm ²
		Simulant D2: Isooctane*	3,9 mg/dm ²
		Simulant D2: Ethanol 95%*	1,2 mg/dm ²

SPECIFIC MIGRATION

Specific migration on BPA and MOSH/MOAH have been performed in accordance with Commission Regulation (EU) No 10/2011 (and amendments) relating to plastic materials and articles intended to come in contact with food.

Tests were performed according to EN 13130-1; Guide to test methods for the specific migration of substances from plastics to foods and food simulants and the determination of substances in plastics and the selection of conditions of exposure to food simulants.

FLUORIDIZED SUBSTANCES

(Danish Order on food contact materials nr. 681 25 May 2020)

We use no active fluorinated substances in our product. We cannot guarantee that there is a trace range of fluorinated substances in our filler.

VALIDITY

This statement is valid until 26.04.2022

DISCLAIMER

This declaration is only valid under the following conditions:

- The product is used in normal intended conditions and purposes (use).
- No changes and / or substances (intentional, non-intentional and / or through use)



^{*}In accordance with European regulation 2016/1416, the 95% ethanol and isooctane replacement simulant can be selected instead of olive oil when a migration test with olive oil is not feasible for technical reasons. The migration test with the replacement simulant D2 must be performed with adapted test conditions.



One sided MF PE BROWN coated recy cardboard_SPS

Datum: 14-04-2021

Eigenaar: Packaging Donckers

Code: EP005.01 Versie: 003

Autorisator: Steven Van Humbeeck

are applied to the product and / or added that the nature and composition (a) degeneration and / or a denaturation) of the product could be affected.

The product may only be used for the foods, contact times and contact temperatures stated in this declaration.

Limiting factors:

- Our products are only suitable for single use. When re-used, mechanical and / or other properties are changed, the food suitability is not guaranteed and is not covered by this document.
- Our products are not suitable for packaging food for infants.

It is the sole responsibility of the user to check and test whether the product is suitable for its intended use, the shelf life of the food, the compatibility between the food and the product.

It is the sole responsibility of the user to test whether the product does not alter the organoleptic properties and / or composition of the food.

The information stated in this statement was provided by the supplier of the relevant product(s).

Signature + stamp: Steven VAN HUMBEECK CEO